

ADDENDUM

Peoria Park District
Planning, Design and Construction Department
1314 N. Park Road
Peoria, IL 61604
Telephone: (309) 686-3386

ADDENDUM NO. ONE

PROJECT TITLE: Bradley Park ESC Auto
Shop Roof Replacement

ISSUANCE DATE: June 12, 2012

The proposed Contract Documents for this Work are modified as follows:

I. **DRAWINGS:**

1. Disregard all reference to ½” High Density Wood Fiber and replace with Hunter H-Shield WF (or equal). Thickness shall be 2.3” of ISO insulation with ½” HD Wood Fiber bonded to top surface.
2. Drawing R-7 Rake Flashing Detail

Notes: 2. Disregard instruction to re-use the existing flashing. Additional insulation will require the fabrication of new rake flashings. Match existing color.

II. **PROJECT MANUAL/SPECIFICATIONS/GENERAL CONDITIONS/ETC.:**

Section 072200
Roof Insulation

2.02 Insulation Materials

Omit Sub-Section A. Thermal insulation properties and approved Recovery Boards.

Replace with the following:

A. Thermal insulation properties.

1. Flat Polyisocyanurate Insulation Bonded to Wood Fiber.

Thickness: 2.3” for all low slope roof areas, receiving Two Ply Modified Membrane System.

Minimum R-Value: 12.3

Panel Compressive Strength: Grade 3 (25 psi.) per ASTM C1289 Type IV.

Source of Supply: Hunter – H-Shield WF
Approved Equal

III. **INVITATION TO BID:**

No Change