

ADDENDUM

Peoria Park District  
Bradley Park Equipment Service Center  
1314 N. Park Road  
Peoria, IL 61604  
Telephone: (309) 686-3386

ADDENDUM NO. TWO

PROJECT TITLE: Roof Replacement  
Trewyn Park Pavilion

ISSUANCE DATE: June 3, 2016

The proposed Contract Documents for this Work are modified as follows:

I. DRAWINGS:

Sheet A1.0 Notes: Under "General New Construction Notes" add the following paragraph:  
"5. A self-adhering vapor barrier shall be installed over the metal deck at the completion of each days work to ensure water tightness until the roofers begin the roof installation process."

Sheet A6.0 Details: Replace the term "nailed base sheet" shown between the metal deck and the insulation with "self-adhering vapor barrier" on all details showing roofing system cross sections.

II. PROJECT MANUAL/SPECIFICATIONS/GENERAL CONDITIONS/ETC.:

Bid Form, Page 11: Replace Entire page with attached sheet showing updated materials list.

III. INVITATION TO BID: None

Addendum No. TWO  
Page 1 of 2

Addendum #2 ends with the replacement Page 11

Bid From: \_\_\_\_\_

PROJECT NO. 13-022  
 BID FOR: ROOF REPLACEMENT  
 LOCATION: TREWYN PARK PAVILION

---ADDENDUM #2 REPLACEMENT SHEET---

<u>ITEM</u>	<u>UNIT</u>	<u>UNIT PRICE</u>
Gutter, complete	LIN FT	\$ _____
Masonry cleaning	SQ FT	\$ _____
Masonry repointing	SQ FT	\$ _____

7. **MATERIAL QUANTITIES:**

It is the intent of the Peoria Park District to purchase materials for the Roof Replacement at Trewyn Park Pavilion Project (“Project”) located at 2219 S. Idaho Street, Peoria, Illinois directly from Garland/DBS, Inc. based upon the Park District’s participation in the U.S. Communities™ Government Purchasing Alliance’s program for Roofing Supplies and Related Products and Services, as priced by and awarded to Garland/DBS, Inc. resulting from the competitively solicited Sealed Bid #09-5408 issued by the Cobb County Board of Commissioners. As a bidder on this Project you are required to fill in your order quantities for the following materials as listed below:

Product #	Material	Unit	Coverage	Quantity
4377	SBS Modified Cap Sheet (Field & Flashing)	1 roll	100 sq.ft.	
4411-80	SBS Modified Base (Field & Flashing Base)	1 roll	150 sq.ft.	
25380	Self-Adhering Base sheet (metal deck)	1 roll	200 sq.ft.	
7347	High Rise Insulation Adhesive	1 case	150 sq.ft. per cart 4 cart=1case	
7110-5	Cold Applied Flashing Mastic	5 gal pail	5-6 gal per square	
7336-55	Cold Applied Interply Adhesive	55 gal	2.5-3 gal per square	
7336-5	Cold Applied Interply Adhesive	5 gal pail	2.5-3 gal per square	
7411-5	Aluminized Coating	5 gal pail	1 gal per square (2 coats)	
2318-BLK	Caulking for T-bar	1 case= 24 tubes		
SSF22STD	22 ga Flat Stock	1 sheet	4' x10'	
SSF20OZCP R	Copper Flat Stock	1 sheet	3' x 10'	

Please note:

- A. It is the responsibility of the bidder to obtain any product-related information from the Garland representative prior to bid submission.
- B. The bidder takes full responsibility for the material quantities entered above. Any additional materials required to complete the Project over and above the quantities submitted by the bidder in the above table will be billed to the bidder directly and will not be the responsibility of the Park District.
- C. Material quantities will be cross-referenced to an expected Project take-off to verify accuracy. Any bids that have material quantities substantially below or above the anticipated requirements for the Project will be rejected unless a detailed explanation is provided.

---ADDENDUM #2 REPLACEMENT SHEET---

ROOF REPLACEMENT – TREWYN PARK PAVILION- Project Manual