

ADDENDUM

Peoria Park District
Planning, Design and Construction Department
1314 N. Park Road
Peoria, IL 61604
Telephone: (309) 686-3386

ADDENDUM NO. 1

PROJECT TITLE: Natatorium Painting-
RiverPlex Recreation and Wellness Center

apaceDesign Architects + Engineers
2112 E. War Memorial Drive
Peoria, IL 61614

ISSUANCE DATE: 6/26/2018

LOCATION: RiverPlex Recreation and Wellness Center

The proposed Contract Documents for this Work are modified as follows:

I. **DRAWINGS:**

N/A

II. **PROJECT MANUAL/SPECIFICATIONS/GENERAL CONDITIONS/ETC.:**

1. Supplementary Instructions to Bidders/12.2: Construction Time and Liquidated Damages Clause: Remove 'Actual work to take place between August 21, 2018 to September 14, 2018' and add 'Actual work to take place between August 20, 2018 to September 16, 2018.*' *Contractor will be able to have existing lap pool area (western half of Natatorium) on August 20, 2018 only; Eastern half of Natatorium will be occupied by Owner/Patrons. Full contractor occupancy will be turned over on August 21, 2018. This will allow an extra day of mobilization/scaffolding set-up for the Contractor. If any dust or debris will be generated during this time, Contractor shall install a dust partition on column line 7.1.

2. Technical Specifications/Interior Painting Section 099123/Paragraph 3.4C: Remove the following:

1. Prime Coat:

- a. Tnemec Series 151 Elasto Grip FC
- b. Apply at a spread rate of 180-400 sq. ft per gallon.

2. Intermediate Coat:

- a. Tnemec Series: 113 H.B. Tnemec-Tufcoat
- b. Thickness: 3.0 – 4.0 mils. “

and replace with:

“1. Prime Coat:

- a. Tnemec Series 135 Chembond.
- b. Thickness: 3.0 – 5.0 mils.

2. Intermediate Coat:

- a. Tnemec Series: 66HS High Bond Epoxyline.
- b. Thickness: 2.0 – 3.0 mils. “

III. **INVITATION TO BID:**

N/A

END OF ADDENDUM NO. 1

(Addendum may be bound into Project Manual, attached to front cover, faxed, mailed, emailed or delivered to bidders.)