

ADDENDUM

Peoria Park District
Planning, Design and Construction Department
1314 N. Park Road
Peoria, IL 61604
Telephone: (309) 686-3386

ADDENDUM NO. 1

PROJECT TITLE: Site Improvements
Forest Park Nature Center

ISSUANCE DATE: March 30, 2023

LOCATION: Forest Park Nature Center

The proposed Contract Documents for this Work are modified as follows:

I. **GENERAL INFORMATION:** N/A

II. **DRAWINGS:** N/A

III. **PROJECT MANUAL/SPECIFICATIONS/**
SECTION 32 13 13 CEMENT CONCRETE PAVEMENT, Under 2.04 CONCRETE MATERIALS, **remove** "E. Fiber Reinforcement: 100% virgin polypropylene fibrillated fibers conforming to ASTM C1116. The fiber length and quantity for a specific concrete mix shall be in accordance with the manufacturer's recommendations" and **replace** with "E. All cast in place concrete shall contain polypropylene fiber reinforcement with a fiber length of .75 inches maximum, and mixed at a rate of 1.5 pounds per cubic yard of concrete". Under 3.05 CONCRETE PLACEMENT, **remove** "G. Provide minimum 4" thick walks and minimum 4" thick shelter slabs, except as otherwise indicated" and **replace** with "G. Provide minimum 5" thick walks and minimum 5" thick shelter slabs, except as otherwise indicated".

IV. **INVITATION TO BID:** N/A

END OF ADDENDUM NO. 1

(Addendum may be bound into Project Manual, attached to front cover, faxed, mailed, emailed or delivered to bidders.)